



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D350-636-014
Job Sheet 192135



Part No: D350-636-014

Job Qty: 1 pcs

Part Name: Skidtube RH, Std Wearplates, DART (Apical) Tri-Bag/Air Cruisers Float Comp.



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 3/18/19

Job Tracking No:

Due Date: 4/5/19

Created By: Marie Lajeunesse

Type: SOLD

Description: *order 14602*

Note: DWG D2750-044 REV.H IPP Rev:I 02.09.25 IPP Rev:J 06-03-23 As per Rev D IPP Rev:K 06-07.13 As per dsi9343 IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Ver:EC IPP Rev:M 08-04-22 DD verified:EC IPP Rev:N 08-09-23 revF DD verified:ec IPP Rev:O 09-02-06 per PAR09-010 DD ver:EC IPP Rev:P 10.06.22 revise seq110 DD ver:EC IPP Rev:Q 10.10.01 as per IIN revH DDver:EC IPP REV:R 13.08.27 PER ECN13-594 DD VERF:JLM IPP REV:S 18.11.12 AS PER DWG REV.H DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Skidtubes - 1	1 pcs	4/5/19		0.00	4.73	Skidtubes - 1		
							Skidtubes - 2		
							Skidtubes - 3		
							Skidtubes - 4		
							Skidtubes - 5		
							Skidtubes - 6		
							Skidtubes - 7		
120	QC 10	1 pcs	4/5/19		0.00	0.00	QC 10 - 10		
							QC 10 - 18		
							QC 10 - 24		
							QC 10 - 43		
							QC 10 - 50		
							QC 10 - 58		
							QC 10 - 9		
130	QC 5	1 pcs	4/5/19		0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 42		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		

Plex 3/18/19 10:39 AM Dart.lajeunesse.marie



Container No: S164779



Part: D350-636-014

Job No: 192135

Serial No/Batch: S164779

Revision: H

Inspector:

Exp Date:

Instructions: FAA STC SR00646SE 18/10/17, TC, STC SH99-7 Issue 2, EASA STC

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K64 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

140 Handfinish - 1-1 Chemical-B4B	1 pcs	4/5/19	0.00 1.00	QC 5 - 9	PD 19-03-25
				QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
				Handfinish - 1 - 1 - B4B	
				Handfinish - 1 - 2 - B4B	
				Handfinish - 1 - 3 - B4B	
				Handfinish - 1 - 4 - B4B	
				Handfinish - 1 - 5 - B4B	
				Handfinish - 1 - 6 - B4B	
				Handfinish - 1 - 7 - B4B	
				Handfinish - 1 - 8 - B4B	
				Handfinish - 1 - 9 - B4B	
				Handfinish - 1 - 10 - B4B	D.R 19/03/26
				Handfinish - 1 - 11 - B4B	
				Handfinish - 1 - 12 - B4B	
				Handfinish - 1 - 13 - B4B	
				Handfinish - 1 - 14 - B4B	
				Handfinish - 1 - 15 - B4B	
				Handfinish - 1 - 16 - B4B	
				Handfinish - 1 - 17 - B4B	
				Handfinish - 1 - 18 - B4B	
				Handfinish - 1 - 19 - B4B	
				Handfinish - 1 - 20 - B4B	
				Handfinish - 1 - 21 - B4B	
				Handfinish - 1 - 22 - B4B	
150 QC 7	1 pcs	4/5/19	0.00 0.00	QC 7 - 10	
				QC 7 - 13	
				QC 7 - 14	
				QC 7 - 15	
				QC 7 - 17	
				QC 7 - 18	BE
				QC 7 - 19	
				QC 7 - 2	
				QC 7 - 28	
				QC 7 - 3	
				QC 7 - 30	
				QC 7 - 34	
				QC 7 - 36	
				QC 7 - 37	
				QC 7 - 41	
				QC 7 - 47	
				QC 7 - 48	
				QC 7 - 51	
				QC 7 - 58	
				QC 7 - 59	
				QC 7 - 60	
				QC 7 - 9	
				QC 7 - 68	
				QC 7 - 50	
				QC 7 - 67	
				QC 7 - 40	
160 Skidtubes - 2 - B4B	1 pcs	4/5/19	0.00 4.73	Skidtubes - 1 - B4B	
				Skidtubes - 2 - B4B	
				Skidtubes - 3 - B4B	
				Skidtubes - 4 - B4B	TF
				Skidtubes - 5 - B4B	BE
				Skidtubes - 6 - B4B	
				Skidtubes - 7 - B4B	

170 QC 10	1 pcs	4/5/19	0.00 0.00	QC 10 - 10	
				QC 10 - 18	
				QC 10 - 24	
				QC 10 - 43	
				QC 10 - 50	
				QC 10 - 58	
				QC 10 - 9	PD 19.04.01
180 QC 5	1 pcs	4/5/19	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 42	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	
				QC 5 - 9	PD 19.04.01
				QC 5 - 50	
190 Handfinish - 2-1 Pressure- B4B	1 pcs	4/5/19	0.00 1.00	Handfinish - 2 - 1 - B4B	
				Handfinish - 2 - 2 - B4B	D.R 19/04/02
				Handfinish - 2 - 3 - B4B	
				Handfinish - 2 - 4 - B4B	
200 Spray Paint - 2 - B4B	1 pcs	4/5/19	0.00 1.22	Spray Paint - 1 - B4B	PD 19-4-7
				Spray Paint - 2 - B4B	
				Spray Paint - 3 - B4B	
				Spray Paint - 4 - B4B	
205 Outsource - 11 - Paint	1 pcs	4/5/19		ATE003-VC	5 NR
210 QC 14	1 pcs	4/5/19	0.00 0.00	QC 14 - 15	
				QC 14 - 2	
				QC 14 - 34	
				QC 14 - 41	
				QC 14 - 51	
				QC 14 - 58	
				QC 14 - 59	BEB DAS 59 0.89
				QC 14 - 9	
				QC 14 - 68	
				QC 14 - 40	
230 Handfinish - 4-1-Assembly- B4B	1 pcs	4/5/19	0.00 1.00	QC 14 - 19	
				Handfinish - 4 - 1 - B4B	
				Handfinish - 4 - 10 - B4B	BEB 19-04-09
				Handfinish - 4 - 11 - B4B	
				Handfinish - 4 - 12 - B4B	
				Handfinish - 4 - 13 - B4B	
				Handfinish - 4 - 14 - B4B	
				Handfinish - 4 - 15 - B4B	
				Handfinish - 4 - 2 - B4B	
				Handfinish - 4 - 3 - B4B	
				Handfinish - 4 - 4 - B4B	
				Handfinish - 4 - 5 - B4B	
				Handfinish - 4 - 6 - B4B	
				Handfinish - 4 - 7 - B4B	

				Handfinish - 4 - 8 - B4B	
				Handfinish - 4 - 9 - B4B	
240 QC 5	1 pcs	4/5/19	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 42	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	
				QC 5 - 9	
				QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
250 Packaging 1-1 - Pick Kit - B4B	1 pcs	4/5/19	0.00 0.00	Packaging 1 - 1 - B4B	
				Packaging 1 - 2 - B4B	
				Packaging 1 - 3 - B4B	
				Packaging 1 - 4 - B4B	
				Packaging 1 - 5 - B4B	
				Packaging 1 - 6 - B4B	
				Packaging 1 - 7 - B4B	
				Packaging 1 - 8 - B4B	
				Packaging 1 - 9 - B4B	
				Packaging 1 - 10 - B4B	
				Packaging 1 - 11 - B4B	
				Packaging 1 - 12 - B4B	
				Packaging 1 - 13 - B4B	
				Packaging 1 - 14 - B4B	
				Packaging 1 - 15 - B4B	
				Packaging 1 - 16 - B4B	
				Packaging 1 - 17 - B4B	
				Packaging 1 - 18 - B4B	
				Packaging 1 - 19 - B4B	
				Packaging 1 - 20 - B4B	
				Packaging 1 - 21 - B4B	
				Packaging 1 - 22 - B4B	
				Packaging 1 - 23 - B4B	
				Packaging 1 - 24 - B4B	
				Packaging 1 - 25 - B4B	
				Packaging 1 - 26 - B4B	
				Packaging 1 - 27 - B4B	
				Packaging 1 - 28 - B4B	
				Packaging 1 - 29 - B4B	
				Packaging 1 - 30 - B4B	
				Packaging 1 - 31 - B4B	
				Packaging 1 - 32 - B4B	
				Packaging 1 - 33 - B4B	
				Packaging 1 - 34 - B4B	
				Packaging 1 - 35 - B4B	
				Packaging 1 - 36	
260 QC 4	1 pcs	4/5/19	0.00 0.00	QC 4 - 28	
				QC 4 - 42	
				QC 4 - 58	

DAS
APR 10 2019 68
9-89

APR 10 2019

270 Packaging 3-1 - Stock - B4B	1 pcs	4/5/19	0.00 0.00	QC 4 - 69	
				QC 4 - 9	
				QC 4 - 46	
				Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
275 DC - 1 - B4B	1 pcs	4/5/19	0.00 0.00	DC - 1 - B4B	APR 11 2019
				DC - 2 - B4B	
280 QC 21 - FG	1 pcs	4/5/19	0.00 0.00	QC 21 - FG - 21	
				QC 21 - FG - 70	APR 11 2019
				QC 21 - SA - 53	

Part Op 110 - (Skid tubes) 1- Pick D2600-3 Bent 2- Deburr FWD and AFT ends, remove bending marks. Scribe batch# inside AFT
 Descriptions: end per dwg D2750-4 3- Drill pilot holes for blade fitting bolt holes using DT8983. Start with 3/16", then open to 0.500" using center drill then ream holes using 0.500" reamer. PIN first side. Repeat process on second side. ***ENSURE PROPER POSITIONING FWD BEND MUST BE FACING UP WHEN DRILLING FIRST SIDE*** Drill pilot holes as per Dwg D2750 sheet 4 (D2750-4 details). Drill using drill Jig DT8150 & DT8864A for second side only DT8864B for first side (detail B) 4- Locate DT8329 off of blade fitting bolt holes and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 6- Drill pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 7- Open up holes of Detail A-A to 0.297" (total of 2 holes per side) 8- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004 A/R Aluminum Rod batch: 130989 9- Grind welds flush as per Dwg D2750

120 - (QC10- Inspect visual per QSI004- ground welds)

130 - (QC5- Inspect part completeness to step on W/O)

140 - (Chemical Conversion Coat per QSI005 4.1)

150 - (QC7-Inspect Chemical Conversion Coat)

160 - (Skid tubes) 1-Open up holes using hole saw on section BE-BE 0.500" (4 per side) as per dwg D2750 2-Open holes using hole saw on section BC-BC 0.3125" (4 per side) 3-Open up holes using uni-bit of Detail AB and ground handling to 0.625" (total of 8 holes per side) as per dwg D2750. 4-Chamfer holes of section BE-BE, BC-BC, AB and ground handling (welding instructions on sheet 11) 5-Deburr and blow out all chips from inside of tube. Prepare tube for welding, remove

alodine as required. 6-Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291 batch: 5163445
 exp. date: 04/23/19 ***ATTN: USE I-BEAM LOCATION AID (BLADE FITTING)*** 7- Weld spacers D3490-1, D3490-5
 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 11) A/R Aluminum Rod batch: 138969 8-
 Grind welds flush as per Dwg D2750 9-Spot face ground handling holes (total of 4 places per side) as per dwg D2750 10-
 Deburr holes, ensure tube is free of all scratches before sending to paint.
 170 - (QC10- Inspect visual per QSI004- ground welds)
 180 - (QC5- Inspect part completeness to step on W/O) ***VERIFY C'BOARD IS GOOD***
 190 - (Pressure Wash per QSI005 4.3/ Clean and remove all markings) Re-alodine tube as per QSI 005 section 4.1.2.1 do
 not acid etch.
 200 - (Spray Paint / NDT Room) 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349
 BATCH: 5152590 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: 5155827
 205 - 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349 BATCH: _____ 2-
 PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: _____
 210 - (QC14- Inspect Spray Paint) Inspect for foreign object per QSI 024
 230 - (Assemble as per dwg) 1-Install inserts as per dwg D2750 2-assemble o'ring as per dwg D3492 and apply o'ring
 lube 3-Assemble tube hardware as per dwg D2750 sikaflex batch: 5163445 4-Inspect For Foreign Objects 5-Install
 blade fitting D3488-041, wearshoe 6-Assemble o'ring to plug as per dwg D3492 and apply o'ring lube 7-Coat all exposed
 fasteners with "LPS Procyon" batch: M133690
 240 - (QC5- Inspect part completeness to step on W/O)
 250 - (Pick Kit)
 260 - (QC4- 100% Inspect kits for completeness)
 270 - (Identify as per dwg & Stock Location: _____) Package as per PPP D350-636-014 LOCATION: FG072
 275 - (Document Control) Photocopy blue file and type labels per PPP D350-636-014 CHG 008
 280 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D2600-3-BENT-RH	Extrusion Bent RH	1 pcs (1 ea)	110-Skidtubes - 1	5129559
D2744	Cap	1 pcs (1 ea)	110-Skidtubes - 1	5150291
D2739	350 I-Beam	1 pcs (1 ea)	160-Skidtubes - 2 - B4B	5152441
D2743	Crossbolt Spacer	8 pcs (8 ea)	160-Skidtubes - 2 - B4B	5162846
D3490-1	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B	5160920
D3490-5	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B	5132494
ALS4-1032-225	Rivnut	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B	5059809
AN3C5A	Bolt	34 Ea (34 ea)	230-Handfinish - 4-1-Assembly-B4B	5149186
AN3C6A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5142453
AN6C44A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5149188
AN8C35A	Bolt	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5079137-1
D2745	Bushing	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5137492
D3488-4	Blade Fitting, RH	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5148185
D3492-1	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5148529
D3492-5	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5137514
D3537-1	Wearpad	3 pcs (3 ea)	230-Handfinish - 4-1-Assembly-B4B	5156312
D3631-1	Washer	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5058407
D3791-1	Wearpad	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5142098
D3793-1	Wearplate Fwd	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5141967
D3793-3	Wearplate Aft	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5132951
MS21043-6	Nut	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5149193
MS21083C8	Nut	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5104046-1
NAS1149C0332R	Washer	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B	5148669
NAS1149C0832R	Washer	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5076017-2
NAS1515H3L	Washer	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5083559
NAS1611-005	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5057657
NAS1611-010	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5057658
D3793-5	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5132949
AN8C21A	Bolt	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5156680
D2741	Replacement Blade	1 pcs (1 ea)	250-Packaging 1-1 - Pick Kit - B4B	5129315
D3493-1	Washer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5125813
MS21083C8	Nut	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5152948
NAS1149D0863J	Washer	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5133789

009/83

M. U. 0029160

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-Skidtubes - 1	D2600-3-BENT-RH	1	2	0
	D2744	1	34	0
160-Skidtubes - 2 - B4B	D2739	1	16	0
	D2743	8	200	0
	D3490-1	4	47	0
	D3490-5	4	50	0
	ALS4-1032-225	38	937	0
230-Handfinish - 4-1-Assembly-B4B	AN3C5A	34	1,446	0
	AN3C6A	4	164	0
	AN6C44A	4	143	0
	AN8C35A	1	36	0
	D2745	8	90	0
	D3488-4	1	7	0
	D3492-1	8	85	0
	D3492-5	8	74	0
	D3537-1	3	45	0
	D3631-1	8	285	0
	D3791-1	1	12	0
	D3793-1	1	17	0
	D3793-3	1	13	0
	D3793-5	1	24	0
	MS21043-6	4	147	0
	MS21083C8	1	87	0
	NAS1149C0332R	38	5,083	0
	NAS1149C0832R	1	349	0
	NAS1515H3L	4	394	0
	NAS1611-005	8	317	0
	NAS1611-010	8	435	0
250-Packaging 1-1 - Pick Kit - B4B	AN8C21A	2	111	0
	D2741	1	78	0
	D3493-1	2	27	0
	MS21083C8	2	87	0
	NAS1149D0863J	2	123	0
Part Specifications				
Specifications could not be found.				

Plex 3/18/19 10:39 AM Dart.lajeunesse.marie

QTY -041	QTY -042	QTY -043	QTY -044	QTY -051	QTY -052	P/N	DESCRIPTION
X						D2750-041	350 SKIDTUBE ASSEMBLY, LH
	X					D2750-042	350 SKIDTUBE ASSEMBLY, RH
		X				D2750-043	350 SKIDTUBE ASSEMBLY, LH
			X			D2750-044	350 SKIDTUBE ASSEMBLY, RH
				X		D2750-051	350 SKIDTUBE ASSEMBLY, LH
					X	D2750-052	350 SKIDTUBE ASSEMBLY, RH
1	1	1	1	1	1	D2739	WEB
8	8	8	8	8	8	D2743	CROSS BOLT SPACER
1	1	1	1	1	1	D2744	CAP
8	8	8	8	8	8	D2745	BUSHING
1						D2750-1	350 SKIDTUBE ASSEMBLY
	1					D2750-2	350 SKIDTUBE ASSEMBLY
		1				D2750-3	350 SKIDTUBE ASSEMBLY
			1			D2750-4	350 SKIDTUBE ASSEMBLY
				1		D2750-5	350 SKIDTUBE ASSEMBLY
					1	D2750-6	350 SKIDTUBE ASSEMBLY
1		1		1		D3488-3	BLADE FITTING, LH
	1		1		1	D3488-4	BLADE FITTING, RH
4	4	4	4			D3490-1	CROSS BOLT SPACER
4	4					D3490-3	CROSS BOLT SPACER
		4	4			D3490-5	CROSS BOLT SPACER
8	8	8	8			D3492-041	PLUG
8	8					D3492-043	PLUG
		8	8			D3492-045	PLUG
3	3	3	3	3	3	D3537-1	WEARPAD
8	8	8	8	8	8	D3631-1	WASHER
1	1	1	1	1	1	D3791-1	WEARPLATE
1	1	1	1	1	1	D3793-1	WEARSHOE
1	1	1	1	1	1	D3793-3	WEARSHOE
1	1	1	1	1	1	D3793-5	WEARSHOE
38	38	38	38	38	38	ALS4-1032-225	INSERT
				1	1	AN3C34A	BOLT
34	34	34	34	34	34	AN3C5A	BOLT
4	4	4	4	4	4	AN3C6A	BOLT
4	4	4	4	4	4	AN6C44A	BOLT
1	1	1	1	1	1	AN8C35A	BOLT
				1	1	MS21043-3	NUT
4	4	4	4	4	4	MS21043-6	NUT
1	1	1	1	1	1	MS21083C8	NUT
38	38	38	38	38	38	NAS1149C0332R	WASHER
				2	2	NAS1149C0363R	WASHER
1	1	1	1	1	1	NAS1149C0832R	WASHER
4	4	4	4	4	4	NAS1515H3L	WASHER

NOTES:

- 1) MATERIAL: MAKE D2750-1/-2/-3/-4/-5/-6 FROM D2600-3 EXTRUSION (INITIAL LENGTH = 120.0).
- 2) FINISH: ACID ETCH, ALODINE ASSEMBLY PER DART QSI 005 4.1 PRIOR TO INSTALLING D2739 WEB. STANDARD: PRIME (REF. 4.2.1,3.3) AND PAINT WHITE PER DART QSI 005 4.2 OPTIONAL: POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3 BLACK ANTI-SKID PAINT AS INDICATED TO 1.0 ABOVE SKIDTUBE CENTER-LINE PER DART 005 4.4 (OPTIONAL).
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: D2750-041/-042/-043/-044 = 26.1 lbs
D2750-051/-052 = 25.7 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL ALS4-1032-225 INSERTS AFTER FINISH AS INDICATED. DRILL 19/64" SIZE HOLES (ϕ 0.297) FOR WEARSHOE INSERTS
- 10) FINAL CONFIGURATION SHOULD HAVE THE FOLLOWING MINIMUM MECHANICAL PROPERTIES:
MINIMUM YIELD TENSILE STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
- 11) COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF FINISH WITH MEK DEGREASER.
- 12) SPACER AND PLUG INSTALLED SAME AS SECTION AJ-AJ EXCEPT HORIZONTAL
- 13) SPACER AND PLUG INSTALLED SAME AS SECTION AP-AP EXCEPT HORIZONTAL


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 192135MUS
19-05-18

RELEASED

2018 OCT 19
3.11.18.33

H	ADDED -051/-052 (ZN D5-1 SHEETS 4, 15-16); ADDED D2750-5/-6 (ZN C5-1 SHEETS 9, 10); D3488-3/-4 REPLACES D3488-041/-042 (ZN C5-1, D2-11/-12/-13/-14); D3793-5 REPLACES D3535-25 (ZN B8-1, C4-11/-12/-13/-14); NAS1149C0332R REPLACES AN800C10L (ZN A5-1, B1-11/-12/-13/-14, C7-11/-12/-13/-14); NAS1149C0832R REPLACES AN960C816L (ZN A5-1, C1-11/-12/-13/-14); REMOVED D3794-1/-3, AND D3536-25 GASKETS	ZF	18.03.05
G	CORRECTED TOLERANCE ON ϕ 0.500 THRU HOLE: IS +0.01/-0.000, WAS +0.100/-0.000 (ZN B3-4, B2-5); ADD VIEW TO CONTROL FWD BEND ORIENTATION (ZN D-1-4/-5/-6/-7); UPDATED FINISH OPTIONS; INSIDE OF TUBE NO LONGER SPRAYED WITH LPS-3. REASON: PAR13-276 AND NCR13-2757	MB	13.07.11
F	INCORPORATE DSI 9413; QTY (3) D3537-1 WAS QTY (5) (ZN C8-1); D3791-1/-3 REPLACES D3535-13/-35 (ZN C8-1); D3794-1/-3 REPLACES D3536-13/-35 (ZN B8-1); ADD D3791-1 (ZN C8-1); WEARSHOE HOLES UNDER FWD/AFT SADDLE REMOVED (8 PL); WEARSHOE HARDWARE QTY UPDATED (ZN B8-1); D3488-041/-042 HARDWARE UPDATED (ZN C1-8, 9, 10, 11); ADD NOTE 12 AND 13 (ZN A6-1); REASON: REF. NCR 08-043	PH	08.07.16
E	CHANGE TO STAINLESS STEEL WEARPLATES; ADD RUBBER GASKETS; CHANGE INSERTS; ADD D3631-1; REMOVE QTY (38) NAS1515H3L; REMOVE QTY (10) NAS1515H3L; REMOVE D2741; QTY (2) AN960C816; REMOVE QTY (2) MS21083C8	CB	07.05.17
D	ADD HOLES AND SPACERS FOR APICAL FLOATS; INCORPORATE DEO 9133/9157	PH	06.01.05
C	ADD D2750-3/D2750-4; INCORPORATE D2738 AND D2740	CP	98.11.18
B	CHANGE MS24684-S293 TO AN8-16A	CP	98.09.01
A	NEW ISSUE	DS	98.04.16
REV	DESCRIPTION	BY	DATE
DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 1 OF 16
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

APPROVED




8 7 6 5 4 3 2 1

D


C

B

A



D2750-043 350 SKIDTUBE ASSEMBLY, LH



D2750-044 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2018 OCT 19

APPROVED

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO. D2750	REV. H
MFG. APPR.	DD	SHEET 3 OF 16	
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	


8 7 6 5 4 3 2 1

D


C

B


A




D2750-1 LH SKIDTUBE




DETAIL A
SCALE 2X




DETAIL B
SCALE 2X




DETAIL C
SCALE 2X




DETAIL D
SCALE 2X




SECTION E-E
SCALE 4X, 2 PL



SECTION F-F
SCALE 4X, 17 PL



SECTION G-G
SCALE 4X, 4 PL




SECTION H-H
SCALE 4X, 4 PL


RELEASED

2018 OCT 19


APPROVED	DESIGN	MM	DART AEROSPACE USA, INC. EUGENE, OR	
	DRAWN	ZF		
	CHECKED	MW	DRAWING NO.	REV. H
	MFG. APPR.	DD	D2750	SHEET 5 OF 16
	APPROVED	NO	TITLE	SCALE
	DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE		18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D2750-2 RH SKIDTUBE




DETAIL J
SCALE 2X




DETAIL K
SCALE 2X




DETAIL L
SCALE 2X




DETAIL M
SCALE 2X




SECTION N-N
SCALE 4X, 2 PL



SECTION P-P
SCALE 4X, 17 PL




SECTION Q-Q
SCALE 4X, 4 PL




SECTION R-R
SCALE 4X, 4 PL

RELEASED
2018 OCT 19


APPROVED	DESIGN	MM	DART AEROSPACE USA, INC. EUGENE, OR	
	DRAWN	ZF		
	CHECKED	MW	DRAWING NO.	REV. H
	MFG. APPR.	DD	D2750	SHEET 8 OF 16
	APPROVED	NO	TITLE	SCALE
	DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE		18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D2750-3 LH SKIDTUBE




D7-7
DETAIL S
SCALE 2X




C5-7
DETAIL T
SCALE 2X




D3-7
DETAIL U
SCALE 2X



D4-7
SECTION V-V
SCALE 4X, 17 PL



B6-7
SECTION W-W
SCALE 4X, 4 PL




B4-7
SECTION X-X
SCALE 4X, 4 PL

RELEASED


2019 OCT 19

APPROVED


DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 7 OF 16
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			




D2750-4 RH SKIDTUBE




DETAIL AA
SCALE 2X




DETAIL AB
SCALE 2X




DETAIL AC
SCALE 2X



SECTION AD-AD
SCALE 4X, 17 PL



SECTION AE-AE
SCALE 4X, 4 PL










SECTION AF-AF
SCALE 4X, 4 PL

APPROVED

DESIGN	MM	DART AEROSPACE USA, INC.
DRAWN	ZF	EUGENE, OR
CHECKED	MM	
MFG. APPR.	DD	REV. H
APPROVED	NO	SHEET 8 OF 16
DE APPR.	DS	SCALE
DATE	18.03.05	NTS
350 SKIDTUBE ASSEMBLY		


RELEASED
2018 OCT 19

COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS UNCLASSIFIED AND IS AVAILABLE TO THE PUBLIC WITHOUT LIMITATION.
ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.




RELEASED
2019 OCT 19


DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 9 OF 16
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D2750-6 RH SKIDTUBE




D7-10
DETAIL BM
SCALE 2X




D5-10
DETAIL BN
SCALE 2X




D3-10
DETAIL BP
SCALE 2X



SECTION BQ-BQ
SCALE 4X, 17 PL



B6-10
SECTION BR-BR
SCALE 4X, 4 PL



B4-10
SECTION BS-BS
SCALE 4X, 4 PL

RELEASED

2019 OCT 19

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 10 OF 16
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

